

SEATING + FURNITURE ADAPTIONS

Various items in this section can include the following adaptions and additions, as well as custom options of your consideration.

USB AND POWER SOCKETS

USB and power socket inserts are possible in both our polyconcrete and glass fibre reinforced polyconcrete seating and furniture as shown here. Sockets are supplied from reputable, guaranteed brands or of your choosing. Please enquire directly for options.







COMFORT EXTENSIONS

Backrests, armrests and any additional comfort extension can be considered for seating and furniture. Below is an example of a backrest added to our original IGNF049 Triangulated Bench with matching timber inlay. Please enquire directly for options.







- These products can include embossing or debossing of logos or other branding information on flat surfaces.
- · Various material inlay possibilities are available to enhance the design.



ELONGATED PEBBLE SEATIGNF001MaterialPolyconcreteHeight460mmWidth645mm tapering to 286mmLength1.6mWeight53kgAvailable VariationsDetailed drawings can be supplied



TRIANGULATED PEBBLE SEAT	
Material	Polyconcrete
Height	460mm
Width	645mm
Length	700mm
Weight	23kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



ROUNDED PEBBLE OTTOMAN		IGNF003
Material	Polyconcrete	
Height	450mm	
Top Diameter	500mm	
Bottom Diameter	400mm	
Base Diameter	360mm	
Weight	15kg	
Available Variations		
Other Specifications/Notes	Detailed drawings can be supplied	

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
- Various material inlay possibilities are available to enhance the design.



RECTANGULAR PEBBLE BENCH (1.5m)

IGNF005

Material	Polyconcrete	
Height	420mm	
Width	550mm	
Length	1.5m	
Weight	53kg	
Available Variations		
Other Specifications/Notes	100mm radius on all four corners Detailed drawings can be supplied	



RECTANGULAR PEBBLE BENCH (2.4m)

Material	Polyconcrete	
Height	370mm (Base height is 50mm)	
Width	350mm	
Length	2.4m	
Weight	115kg	
Available Variations		
Other Specifications/Notes	100mm radius on corners. Detailed drawings can be supplied	



- $\bullet \quad \text{These products can include embossing or debossing of logos or other branding information on flat surfaces.}\\$
- Various material inlay possibilities are available to enhance the design.



CONTEMPORARY PEBBLE SEAT - A Material Polyconcrete Height 420mm (Base height is 50mm) Width 1.1m Length 1.7m Weight 85kg Available Variations Other Specifications/Notes Detailed drawings can be supplied



CONTEMPORARY PEBBLE SE	AT - B IGNF003
Material	Polyconcrete
Height	420mm (Base height is 50mm)
Width	830mm
Length	1.2m
Weight	53kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



IGNF008

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
- Various material inlay possibilities are available to enhance the design.



OBLIQUE PEBBLE TABLE

IGNF056

Glass fibre reinforced polyconcrete
600mm
1m
460mm (at widest)
610mm (at longest)
42kg (includes a weighted base)
60mm thick table top, Detailed drawings can be supplied



ROUND HOURGLASS TABLE

IGNF036

Material	Polyconcrete
Height	760mm
Top Diameter	800mm
Base Diameter	400mm
Weight	106kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



FLINT TABLE

Material	Glass fibre reinforced polyconcrete
Height	760mm
Top Diameter	1.6m
Leg Length	Long vertical 800mm, Short horizontal 650mm
Leg Width	140mm at top of legs, narrows to 80mm at bottom
Weight	160kg
Available Variations	
Other Specifications/Notes	60mm thick table top, Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.



RECTANGULAR FLINT TABLE

Material	Glass fibre reinforced polyconcrete
Height	750mm
Table Top Width	1.3m
Table Top Length	3.6m
Leg Lengths	Middle - 1623mm Side - 613mm
Leg Widths	150mm, tapers down to 120mm
Weight	145kg
Available Variations	
Other Specifications/Notes	45mm thick table top, Detailed drawings can be supplied



- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.

ORGANIC RANGE



ORGANIC ROCKER	IGNF010
Material	Polyconcrete
Seat Height	380mm
Total Height	950mm
Width	640mm
Length	1.3m
Weight	120kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



ORGANIC LOUNGER	IGNF01
Material	Polyconcrete
Seat Height	380mm
Total Height	770mm
Width	640mm
Length	1.8m
Weight	120kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



ORGANIC BENCH	IGNF012
Material	Polyconcrete
Seat Height	450mm
Total Height	775mm
Width	750mm
Length	1.5m
Weight	120kg
Available Variations	
Other Specifications/Notes	Front seat height is 450mm, Seat height towards backrest is 415mm, Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.

ORGANIC RANGE





ORGANIC OTTOMAN (FLAT TOP)

IGNF013

Material	Polyconcrete
Height	420mm
Width	550mm
Length	605mm
Weight	45kg
Available Variations	Any length between 300mm and 550mm
Other Specifications/Notes	Detailed drawings can be supplied



ORGANIC OTTOMAN (CURVED TOP)

Material	Polyconcrete
Height	350mm
Width	540mm
Length	605mm
Weight	45kg
Available Variations	Any length between 300mm and 550mm
Other Specifications/Notes	60° curve (Includes curved bottom) Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.

ORGANIC RANGE



CURVED ORGANIC OTTOMAN (FLAT TOP)

IGNF015

Material	Polyconcrete	
Height	420mm	
Width	550mm	
Inner Radius	500mm	
Weight	45kg	
Available Variations		
Other Specifications/Notes	60° curve Detailed drawings can be supplied	



ELONGATED ORGANIC OTTOMAN (FLAT TOP)

IGNF016

Material	Polyconcrete
Height	420mm
Width	550mm
Length	1.5m
Weight	120kg
Available Variations	Any length between 300mm and 1.5m
Other Specifications/Notes	Detailed drawings can be supplied



ELONGATED ORGANIC OTTOMAN (CURVED TOP)

Material	Polyconcrete
Height	375mm
Width	550mm
Length	1.5m
Weight	120kg
Available Variations	Any length between 300mm and 1.5m
Other Specifications/Notes	Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
- Various material inlay possibilities are available to enhance the design.

ULTERIOR RANGE





ULTERIOR TABLE (1.8m)

IGNF018

Material	Polyconcrete
Height	770mm
Width	900mm
Length	1.8m
Weight	120kg
Available Variations	Available with or without ellipse cut outs/umbrella hole
Other Specifications/Notes	Detailed drawings can be supplied



ULTERIOR TABLE (800mm)

Material	Polyconcrete
Height	770mm
Width	900mm
Length	800mm
Weight	53kg
Available Variations	Available with or without ellipse cut outs/umbrella hole
Other Specifications/Notes	Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.

ULTERIOR RANGE



ULTERIOR TABLE BENCH (1.7m)

IGNF020

Material	Polyconcrete
Height	500mm
Width	400mm
Length	1.7m
Weight	40kg
Available Variations	Available with or without ellipse cut outs
Other Specifications/Notes	Detailed drawings can be supplied



ULTERIOR TABLE BENCH (700mm)

IGNF021

Material	Polyconcrete
Height	450mm
Width	400mm
Length	700mm
Weight	30kg
Available Variations	Available with or without ellipse cut outs
Other Specifications/Notes	Detailed drawings can be supplied



ULTERIOR STOOL

Material	Polyconcrete
Height	435mm
Width	400mm
Length	500mm
Weight	20kg
Available Variations	Available with or without ellipse cut outs
Other Specifications/Notes	Detailed drawings can be supplied

- $\bullet \quad \text{These products can include embossing or debossing of logos or other branding information on flat surfaces.}\\$
- Various material inlay possibilities are available to enhance the design.

ULTERIOR RANGE





ULTERIOR BENCH IGNF023

Material	Polyconcrete
Height	500mm, backrest height 900mm
Width	450mm
Length	1.7m
Weight	75kg
Available Variations	Available with or without ellipse cut outs
Other Specifications/Notes	Backrest can be a different colour to the leg section Detailed drawings can be supplied



SINGLE ULTERIOR BENCH

Material	Polyconcrete
Height	500mm, backrest height 900mm
Width	450mm
Length	700mm
Weight	43kg
Available Variations	Available with or without ellipse cut outs
Other Specifications/Notes	Backrest can be different colour to the leg section. Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.

RECTANGULAR RANGE



RECTANGULAR BENCH (2.2m)

IGNF024

Glass fibre reinforced polyconcrete
500mm
400mm
2.2m
33kg
Material width: 60mm, Detailed drawings can be supplied



RECTANGULAR ANGLED BENCH

IGNF025

Glass fibre reinforced polyconcrete
500mm
400mm
2.2m
33kg
Material width: 60mm, Sloping leg: 118° Detailed drawings can be supplied




RECTANGULAR BENCH (1.9m)

Material	Glass fibre reinforced polyconcrete
Height	500mm
Width	400mm
Length	1.9m
Weight	28kg
Available Variations	
Other Specifications/Notes	Material width: 60mm, Detailed drawings can be supplied

- $\bullet \quad \text{These products can include embossing or debossing of logos or other branding information on flat surfaces.}\\$
- Various material inlay possibilities are available to enhance the design.

RECTANGULAR RANGE





RECTANGULAR TABLE (3m)

Material	GRP top, Polyconcrete legs
Height	750mm
Width	1.2m
Length	3m
Weight	78kg
Available Variations	Umbrella hole optional
Other Specifications/Notes	Material width table top: 40mm, Material width legs: 32mm Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.

RECTANGULAR RANGE



RECTANGULAR BLOCK TABLE (2.4m)

IGNF029

Material	Glass fibre reinforced polyconcrete
Height	770mm
Width	770mm
Length	2.4m
Weight	60kg
Available Variations	
Other Specifications/Notes	Material width: 60mm, Detailed drawings can be supplied



RECTANGULAR DINING TABLE (4m)

IGNX018


-
770mm
1.2m
4m
-
This item includes a built-in ice trough down the center of the table. A clear Perspex cover is included should you wish for the trough to be covered. Detailed drawings can be supplied



RECTANGULAR BAR COUNTER

Material	Glass fibre reinforced polyconcrete
Height	1.1mm
Width	650mm
Length	2.5m
Weight	67.5kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.





GEOMETRIC RANGE





GEOMETRIC SINGLE-SEATER

IGNF030

Material	Polyconcrete
Height	595mm
Width	745mm
Length	745mm
Weight	31kg
Available Variations	
Other Specifications/Notes	Seat height 260mm, Detailed drawings can be supplied



GEOMETRIC DOUBLE-SEATER

Material	Polyconcrete
Height	595mm
Width	745mm
Length	1.35m
Weight	45kg
Available Variations	Any length between 745mm and 1.35m
Other Specifications/Notes	Seat height 260mm, Detailed drawings can be supplied

- $\bullet \quad \text{These products can include embossing or debossing of logos or other branding information on flat surfaces.}\\$
- Various material inlay possibilities are available to enhance the design.

GEOMETRIC RANGE



GEOMETRIC SQUARE LOUNGER

IGNX019

Material	Glass fibre reinforced polyconcrete	
Height	670mm	
Width	2m	
Length	2.7m	
Weight	221kg	
Available Variations		
Other Specifications/Notes	Seat height 370mm Detailed drawings can be supplied	




GEOMETRIC RECTANGULAR LOUNGER

IGNX020

Material	Glass fibre reinforced polyconcrete	
Height	670mm	
Width	1.25m	
Length	5.8m	
Weight	255kg	
Available Variations		
Other Specifications/Notes	Seat height 370mm Detailed drawings can be supplied	



- $\bullet \quad \text{These products can include embossing or debossing of logos or other branding information on flat surfaces.}\\$
- Various material inlay possibilities are available to enhance the design.





ABSTRACT BENCH	IGNF0
Material	Polyconcrete
Seat Height	450mm
Width	750mm
Length	1.9m
Weight	95kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



BEAN SEATER	IGNF0
Material	Glass fibre reinforced polyconcrete
Height	520mm
Width	1.2m
Length	2.2m
Weight	68kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



CURVED PLAY ARC	IGNF058
Material	Glass fibre reinforced polyconcrete
Height	600mm (at topmost point, including 100mm recessed base)
Width	550mm
Length	2.5m
Weight	-
Available Variations	
Other Specifications/Notes	40mm internal lip return on underside of bench for fixing. Detailed drawings can be supplied.

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.



TRIANGULATED BENCH A

IGNF048

N aterial	Glass fibre reinforced polyconcrete with wooden slat inlay
leight	400mm
Vidth	640mm
ength	2m
Veight	55kg
vailable Variations	
Other Specifications/Notes	Detailed drawings can be supplied
ength Veight wailable Variations	2m 55kg



TRIANGULATED BENCH A (GRP ONLY)

IGNF053


Material	Glass fibre reinforced polyconcrete
Height	400mm
Width	640mm
Length	2m
Weight	52kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



TRIANGULATED BENCH B

Material	Glass fibre reinforced polyconcrete with wooden slat inlay
Height	500mm
Width	880mm
Length	1.1m
Weight	66kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.





TRIANGULATED BENCH B (GRP ONLY)

IGNF054

Material	Glass fibre reinforced polyconcrete
Height	500mm
Width	880mm
Length	1.1m
Weight	44kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



TRIANGULATED BENCH C

IGNF064

Material	Glass fibre reinforced polyconcrete with wooden slat inlay
Height	600mm
Width	1m
Length	2.4m
Weight	-
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



TRIANGULATED BENCH C (GRP ONLY)

Material	Glass fibre reinforced polyconcrete
Height	600mm
Width	1m
Length	2.4m
Weight	-
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied

- $\bullet \quad \text{These products can include embossing or debossing of logos or other branding information on flat surfaces.}\\$
- Various material inlay possibilities are available to enhance the design.



IGNF043
Glass fibre reinforced polyconcrete
450mm
1m
2.5m
52kg
2 bicycle slots, 15mm chamfer to all corners, vertical debossed detail on one face Detailed drawings can be supplied



PLATFORM SEATER	IGNF044
Material	Glass fibre reinforced polyconcrete
Height	350mm
Width	1m
Length	2m
Weight	48kg
Available Variations	
Other Specifications/Notes	15mm chamfer to all corners, vertical debossed detail on two faces. Detailed drawings can be supplied



- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.





STAR BENCH	IGNF06
Material	Glass fibre reinforced polyconcrete
Height	500mm
Width	1.8m (at widest)
Length	1.8m (at longest)
Weight	-
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



HASHTAG BENCH	IGNX058
Material	Glass fibre reinforced polyconcrete with wooden slat inlay
Height	500mm
Width	2.5m (at widest)
Length	2.9m (at longest)
Weight	-
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied.



Glass fibre reinforced polyconcrete with material inlay of your choosing (see astroturf inlay in above image)
450
450mm
640mm
4.4m
-
Detailed drawings can be supplied

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.



ARC OTTOMAN	IGNF037
Material	Glass fibre reinforced polyconcrete
Height	450mm
Width	600mm
Inner Radius	500mm
Weight	47kg
Available Variations	
Other Specifications/Notes	60° curve, 50mm high undercut base Detailed drawings can be supplied



CHEVRON BENCH	IGNF040
Material	Glass fibre reinforced polyconcrete
Height	450mm
Width	500mm
Length	1.9m
Weight	56kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



- These products can include embossing or debossing of logos or other branding information on flat surfaces.
 Various material inlay possibilities are available to enhance the design.







ARC BENCH	IGNF059
Material	Glass fibre reinforced polyconcrete
Height	450mm
Width	1.3m
Seat Width	600mm
Length	2.6m
Weight	104kg
Available Variations	
Other Specifications/Notes	50mm high undercut base. Detailed drawings can be supplied



ARC PLANTER	IGNP022
Material	Glass fibre reinforced polyconcrete
Height	800mm (with 100mm high recessed base)
Width	500mm
Length	1.3m
Weight	76kg
Available Variations	
Other Specifications/Notes	Material width: 6-8mm, 40mm internal lip return, Horizontal internal support ribs. Designed to fit with IGNF059 -Arc Bench. Detailed drawings can be supplied

|--|--|



Combination of IGNF059 and IGNP022: Arc Set (as per modular and pentagonal sets)

- $\bullet \quad \text{These products can include embossing or debossing of logos or other branding information on flat surfaces.} \\$
- Various material inlay possibilities are available to enhance the design.



MODULAR SEATIGNX010MaterialGlass fibre reinforced polyconcreteHeight500mmWidth1m (Plus 150mm extension to join pieces)Length1m (Plus 150mm extension to join pieces)Weight-

Detailed drawings can be supplied



MODULAR SEAT (WOODEN SLATS)

Available Variations

Other Specifications/Notes

IGNX027

Material	Glass fibre reinforced polyconcrete with wooden slat inlay
Height	500mm
Width	1m (Plus 150mm extension to join pieces)
Length	1m (Plus 150mm extension to join pieces)
Weight	-
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied.



MODULAR PLANTER

IGNX028

Material	Glass fibre reinforced polyconcrete
Height	500mm
Width	1m (Plus 150mm extension to join pieces)
Length	1m (Plus 150mm extension to join pieces)
Weight	-
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied. Material thickness 6-8mm, with 40mm internal lip return. Drip tray optional

IGNX028T Material: GRP Height: 80mm (20mm gap from side view) Weight: -

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
- Various material inlay possibilities are available to enhance the design.



PENTAGONAL SEAT IGNF052

Material	Glass fibre reinforced polyconcrete
Height	470mm
Width	920mm (each side panel is 600mm wide)
Length	970mm
Weight	32kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



PENTAGONAL SEAT (WOODEN SLATS)

IGNF055

Material	Glass fibre reinforced polyconcrete with wooden slat inlay
Height	500mm
Width	920mm (each side panel is 600mm wide)
Length	970mm
Weight	47kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied



PENTAGONAL PLANTER

IGNP021

Material	Glass fibre reinforced polyconcrete
Height	470mm
Width	920mm (each side panel is 600mm wide)
Length	970mm
Weight	33kg
Available Variations	
Other Specifications/Notes	Detailed drawings can be supplied. Material thickness 6-8mm with 40mm internal lip return.

IGNP021T Material: GRP Height: 30mm (20mm gap from side view) Weight: 3kg

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
- Various material inlay possibilities are available to enhance the design.



Combination of IGNX027, IGNX028 and IGNX10 : Modular Set



Combination of IGNF052, IGNF055 and IGNP021 : Pentagonal Set $\,$

- $\bullet \quad \text{These products can include embossing or debossing of logos or other branding information on flat surfaces.}\\$
- Various material inlay possibilities are available to enhance the design.



PLANTER-BENCH RANGE



RECTANGULAR PLANTER-BENCH

IGNF042

Material	Glass fibre reinforced polyconcrete
Height	450mm
Width	600mm
Length	2.5m
Weight	70kg
Available Variations	
Other Specifications/Notes	Planter section is 500mm wide x 1m in length. Base height is 50mm, Detailed drawings can be supplied. Note no drip tray





CIRCULAR PLANTER-BENCH

IGNX052

Material	Glass fibre reinforced polyconcrete
Height	900mm (Including 100mm high recessed base)
Diameter	1.5m
Seat Width	400mm
Weight	120kg
Available Variations	
Other Specifications/Notes	Birch Ply (30mm) with laminated oak finish, can also be supplied with plain GRP seat. Oak can be provided plain or with 6mm V grooves. Detailed drawings can be supplied.

- $\bullet \quad \text{These products can include embossing or debossing of logos or other branding information on flat surfaces.}\\$
- Various material inlay possibilities are available to enhance the design.

PLANTER-BENCH RANGE

- These products can include embossing or debossing of logos or other branding information on flat surfaces.
- Various material inlay possibilities are available to enhance the design.



TRIANGULATED PLANTER-BENCH

IGNF050

Glass fibre reinforced polyconcrete
750mm (Including 32mm high recessed base)
400mm
970mm (at widest), 225mm (at smallest width side); seat width 400mm all around
2.6m (at longest)
155kg
Planter section is 500mm wide x 1m in length. Base height is 32mm, Detailed drawings can be supplied Birch Ply (30mm) with laminated Oak finish, can also be supplied with plain GRP seat. Note no drip tray. Oak can be provided plain or with 6mm V grooves.



TRIANGULATED PLANTER-BENCH (GPR SEATING)

IGNF062


Material	Glass fibre reinforced polyconcrete
Height	750mm (Including 32mm high recessed base)
Seat Height	400mm
Width	970mm (at widest), 225mm (at smallest width side); seat width 360mm all around
Length	2.6m (at longest)
Weight	149kg
Available Variations	
Other Specifications/Notes	Planter section is 500mm wide x 1m in length. Base height is 32mm. Note no drip tray. Detailed drawings can be supplied



TRIANGULATED POT-BENCH

IGNX059

Material	Glass fibre reinforced polyconcrete
Height	1.2m (including 100mm high recessed base)
Width	1.4m
Length	1.5m
Weight	-
Available Variations	
Other Specifications/Notes	Birch Ply (30mm) with laminated oak finish, can also be supplied with plain GRP seat. Oak can be provided plain or with 6mm V grooves. Detailed drawings can be supplied



LONG LENGTH FIXED BENCH STRUCTURES

Long length fixed bench structures can be manufactured to your required length and your required aesthetic profile. This is an excellent option for custom lighting inlay where possible. Please enquire directly for custom detail.

